ELSEVIER

Chemical Physics 213 (1996) 489–493

Chemical Physics

Author index to volume 213

Abramczyk, H., see Kolodziejski, M. 213 (1996) 341
Adamowicz, L., see Sobolewski, A.L. 213 (1996) 193
André, J.-M., see Jacquemin, D. 213 (1996) 217
Andrews, D.L. and I.D. Hands, Second harmonic generation in partially ordered media and at interfaces: analysis of dynamical and orientational factors 213 (1996) 277

Belchior, J.C. and J.P. Braga, A critical analysis of the two-dimensional atom ellipsoid model to study rotational collisions 213 (1996) 303
Belikov, A.E., R.G. Sharafutdinov and A.V. Storozhev, Rotational relaxation of nitrogen in helium 213 (1996) 319
Bernardes, E.S., Y.M.M. Hornos and J.E.M. Hornos, Dynamical symmetry in the vibrational overtone spectrum of monofluoroacetylene (HCCF) 213 (1996) 17
Bertault, M., see Even, J. 213 (1996) 357
Bieser, G., see Lossau, H. 213 (1996) 1
Borchert, I., see Ruth, C. 213 (1996) 454
Braga, J.P., see Belchior, J.C. 213 (1996) 303
Braga, M., Correlation effects in the long-range coupling between acetylenic π-electrons in a series of α,ω-diethynyl[n]staffanes ($n = 1-5$) 213 (1996) 159
Byrd, E.F.C., see Chesnut, D.B. 213 (1996) 153

Cannistraro, S., see Lamanna, R. 213 (1996) 95
Cao, H., see Xie, X. 213 (1996) 133
Champagne, B., see Jacquemin, D. 213 (1996) 217
Chesnut, D.B. and E.F.C. Byrd, The use of locally dense basis sets in correlated NMR chemical shielding calculations 213 (1996) 153
Clark, B.K., J.M. Standard, Z.J. Smolinski, D.P. Ripp and J.R. Fleming, Optically pumped laser emission in K_2 involving rovibrational levels near the $B\,^1\Pi_u$ state dissociation limit 213 (1996) 229
Comes, F.J., see Lock, M. 213 (1996) 385
Consolati, G. and F. Quasso, Positronium dynamics in aqueous solutions of ionic surfactants 213 (1996) 449
Cooksy, A.L., see Wang, H. 213 (1996) 139
Cormack, A.J., A.J. Yencha, R.J. Donovan, K.P. Lawley, A. Hopkirk and G.C. King, High-resolution threshold photoelectron spectroscopy of molecular fluorine 213 (1996) 439
Czerwiński, M. and J. Dąbrowski, Spin–spin interactions in the reduced $[Fe_6S_6]^{5+}$ cluster 213 (1996) 45

Dąbrowski, J., see Czerwiński, M. 213 (1996) 45
Dashevskaya, E.I., see Rosenblum, I. 213 (1996) 243

Délugeard, Y., see Even, J. 213 (1996) 357
Donovan, R.J., see Cormack, A.J. 213 (1996) 439
Duang, W., see Xie, X. 213 (1996) 133
Durig, J.R., S. Shen, W. Zhao and L. Zhou, Conformational studies of cyclopropylcarbonyl fluoride from temperature dependent FT-IR spectra of xenon solutions 213 (1996) 165
Durig, J.R., Y. Li and Y. Jin, Conformational studies of propenoyl chloride in liquid xenon from temperature dependent FT-IR spectra 213 (1996) 181

Engdahl, A. and B. Nelander, IR induced isomerisation of HDO complexes: a method for the observation of FIR spectra of matrix isolated water complexes 213 (1996) 333
Engkvist, O. and G. Karlström, A method to calculate the probability distribution for systems with large energy barriers 213 (1996) 63
Eschrich, I., see Ruth, C. 213 (1996) 454
Even, J., M. Bertault, A. Girard and Y. Délugeard, Influence of pressure on the ferroelectric phase transition in a symmetrical polymerizable diacetylene crystal DNP 213 (1996) 357

Fleming, J.R., see Clark, B.K. 213 (1996) 229

Gericke, K.-H., see Lock, M. 213 (1996) 385
Girard, A., see Even, J. 213 (1996) 357
Goto, T., see Oeda, Y. 213 (1996) 421
Gründel, M., see Ruth, C. 213 (1996) 454
Grycuk, T., see Roston, G.D. 213 (1996) 365

Habdas, P., see Paluch, M. 213 (1996) 483
Hands, I.D., see Andrews, D.L. 213 (1996) 277
Heinecke, R., see Lossau, H. 213 (1996) 1
Helmi, M.S., see Roston, G.D. 213 (1996) 365
Hikida, T., see Matsushita, Y. 213 (1996) 413
Hopkirk, A., see Cormack, A.J. 213 (1996) 439
Hornos, J.E.M., see Bernardes, E.S. 213 (1996) 17
Hornos, Y.M.M., see Bernardes, E.S. 213 (1996) 17
Huber, H., see Welker, M. 213 (1996) 253

Ivanov, V.S. and V.B. Sovkov, An IPA procedure for bound-continuum diatomic transition intensities 213 (1996) 295

Jacquemin, D., B. Champagne, J.-M. André and B. Kirtman, Exploratory Pariser–Parr–Pople investigation of the static first hyperpolarizability of polymethineimine chains 213 (1996) 217
Jin, Y., see Durig, J.R. 213 (1996) 181
Jonsson, T., see Lossau, H. 213 (1996) 1

Karlström, G., see Engkvist, O. 213 (1996) 63
Keith, T.A., Calculation of magnetizabilities using GIAO current density distributions 213 (1996) 123
King, G.C., see Cormack, A.J. 213 (1996) 439
Kirtman, B., see Jacquemin, D. 213 (1996) 217
Knast, K., Analysis of polarization effects in time-dependent Rayleigh light scattering by optically active molecules 213 (1996) 465

Kohlmeyer, A., W. Witschel and E. Spohr, Molecular dynamics simulations of water/metal and water/vacuum interfaces with a polarizable water model 213 (1996) 211
Kolodziejski, M., G. Waliszewska and H. Abramczyk, Vibrational dephasing in bromocyclohexane: how to separate contributions from different mechanisms 213 (1996) 341
Kompa, C., see Lossau, H. 213 (1996) 1
Kummer, A., see Lossau, H. 213 (1996) 1

Lamanna, R. and S. Cannistraro, Effect of ethanol addition upon the structure and the cooperativity of the water H bond network 213 (1996) 95
Lawley, K.P., see Cormack, A.J. 213 (1996) 439
Levine, R.D., see Raz, T. 213 (1996) 263
Li, Y., see Durig, J.R. 213 (1996) 181
Lock, M., K.-H. Gericke and F.J. Comes, Photodissociation dynamics of $HN_3(DN_3) + h\nu \rightarrow H(D) + N_3$ 213 (1996) 385
Lossau, H., A. Kummer, R. Heinecke, F. Pöllinger-Dammer, C. Kompa, G. Bieser, T. Jonsson, C.M. Silva, M.M. Yang, D.C. Youvan and M.E. Michel-Beyerle, Time-resolved spectroscopy of wild-type and mutant Green Fluorescent Proteins reveals excited state deprotonation consistent with fluorophore–protein interactions 213 (1996) 1

MacKenzie, V.J., see Sinha, H.K. 213 (1996) 397
Martin, J.-P., see Porshnev, P.I. 213 (1996) 111
Matsui, A.H., see Oeda, Y. 213 (1996) 421
Matsushima, Y., see Oeda, Y. 213 (1996) 421
Matsushita, Y., Y. Yamaguchi and T. Hikida, The photochemical reaction of excited acetophenone and benzaldehyde in the gas phase 213 (1996) 413
Michel-Beyerle, M.E., see Lossau, H. 213 (1996) 1
Michinomae, M., see Oeda, Y. 213 (1996) 421
Mizuno, K., see Oeda, Y. 213 (1996) 421
Motohashi, K., H. Soshi, M. Ukai and S. Tsurubuchi, Dissociative excitation of CH_4 by electron impact: Emission cross sections for the fragment species 213 (1996) 369

Naumkin, F.Y., The ArClF Van der Waals complex as an example of how atoms inside a molecule interact with those outside 213 (1996) 33
Nelander, B., see Engdahl, A. 213 (1996) 333
Nikitin, E.E., see Rosenblum, I. 213 (1996) 243
Nishi, O., see Oeda, Y. 213 (1996) 421

Oeda, Y., O. Nishi, Y. Matsushima, K. Mizuno, A.H. Matsui, M. Michinomae, M. Takeshima and T. Goto, Exciton scattering, $\boldsymbol{k}$ selection rule, exciton bandwidth in pyrene microcrystallites, and lattice relaxation energy for the origin of V luminescence 213 (1996) 421
Oref, I., see Rosenblum, I. 213 (1996) 243

Paluch, M., P. Habdas, S.J. Rzoska and T. Schimpel, Electric permittivity in the one- and two-phase region of 1-nitropropane–hexadecane near-critical solution 213 (1996) 483
Penzkofer, A., see Reindl, S. 213 (1996) 429
Perrin, M.-Y., see Porshnev, P.I. 213 (1996) 111
Pöllinger-Dammer, F., see Lossau, H. 213 (1996) 1

Porshnev, P.I., H.L. Wallaart, M.-Y. Perrin and J.-P. Martin, Modeling of optical pumping experiments in CO. I. Time-resolved experiments 213 (1996) 111

Quasso, F., see Consolati, G. 213 (1996) 449

Raz, T. and R.D. Levine, Fast translational thermalization of extreme disequilibrium induced by cluster impact 213 (1996) 263
Reindl, S. and A. Penzkofer, Triplet quantum yield determination by picosecond laser double-pulse fluorescence excitation 213 (1996) 429
Ripp, D.P., see Clark, B.K. 213 (1996) 229
Rode, B.M., see Vizoso, S. 213 (1996) 77
Rosenblum, I., E.I. Dashevskaya, E.E. Nikitin and I. Oref, On the sampling of microcanonical distribution for rotating triatomic molecules 213 (1996) 243
Roston, G.D., M.S. Helmi and T. Grycuk, Interatomic potentials for $X0^+$ and B^31 states of intercombination cadmium line 326.1 nm broadened by Ar pressure 213 (1996) 365
Ruth, C., M. Gründel, I. Eschrich, L. Ziegeler and I. Borchert, Influence of the molecular environment on the hyperfine interaction of ^{111}Cd ions in gaseous radioactive indium halides 213 (1996) 454
Rzoska, S.J., see Paluch, M. 213 (1996) 483

Sansón, J.A., see Tolosa, S. 213 (1996) 203
Schimpel, T., see Paluch, M. 213 (1996) 483
Sharafutdinov, R.G., see Belikov, A.E. 213 (1996) 319
Shen, S., see Durig, J.R. 213 (1996) 165
Silva, C.M., see Lossau, H. 213 (1996) 1
Sinha, H.K., V.J. MacKenzie and R.P. Steer, Laser-induced fluorescence excitation spectroscopy of jet-cooled tropolone–carbon monoxide van der Waals complexes 213 (1996) 397
Smolinski, Z.J., see Clark, B.K. 213 (1996) 229
Sobolewski, A.L. and L. Adamowicz, An ab initio study of the potential energy surface in the S_1 state of 2-hydroxypyridine 213 (1996) 193
Solca, J., see Welker, M. 213 (1996) 253
Soshi, H., see Motohashi, K. 213 (1996) 369
Sovkov, V.B., see Ivanov, V.S. 213 (1996) 295
Spohr, E., see Kohlmeyer, A. 213 (1996) 211
Standard, J.M., see Clark, B.K. 213 (1996) 229
Steer, R.P., see Sinha, H.K. 213 (1996) 397
Steinebrunner, G., see Welker, M. 213 (1996) 253
Storozhev, A.V., A new method of calculating exponential operators for scattering problems 213 (1996) 313
Storozhev, A.V., see Belikov, A.E. 213 (1996) 319

Takeshima, M., see Oeda, Y. 213 (1996) 421
Tao, Y., see Xie, X. 213 (1996) 133
Tolosa, S. and J.A. Sansón, Molecular dynamics study of infinitely dilute aqueous solutions of small biological molecules. Calculation of the static and dynamic properties of formaldehyde 213 (1996) 203

Tsurubuchi, S., see Motohashi, K. 213 (1996) 369

Ukai, M., see Motohashi, K. 213 (1996) 369

Vizoso, S. and B.M. Rode, Preferential solvation study: Solvation of sodium chloride in water–hydroxylamine mixtures 213 (1996) 77

Waliszewska, G., see Kolodziejski, M. 213 (1996) 341
Wallaart, H.L., see Porshnev, P.I. 213 (1996) 111
Wang, H. and A.L. Cooksy, Calculations on ground and excited state potential energy surfaces of floppy free radicals: HC_4H_2, HC_3NH, and HC_3O 213 (1996) 139
Welker, M., G. Steinebrunner, J. Solca and H. Huber, Ab initio calculation of the intermolecular potential energy surface of $(CO_2)_2$ and first applications in simulations of fluid CO_2 213 (1996) 253
Witschel, W., see Kohlmeyer, A. 213 (1996) 211

Xie, X., Y. Tao, H. Cao and W. Duang, Ab initio study of unimolecular pyrolysis mechanisms of dithioformic acid 213 (1996) 133

Yamaguchi, Y., see Matsushita, Y. 213 (1996) 413
Yang, M.M., see Lossau, H. 213 (1996) 1
Yencha, A.J., see Cormack, A.J. 213 (1996) 439
Youvan, D.C., see Lossau, H. 213 (1996) 1

Zhao, W., see Durig, J.R. 213 (1996) 165
Zhou, L., see Durig, J.R. 213 (1996) 165
Ziegeler, L., see Ruth, C. 213 (1996) 454

ELSEVIER

Chemical Physics 213 (1996) 495–506

Chemical Physics

Subject index to volume 213

Methods

Theoretical

Group theory and algebras

Dynamical symmetry in the vibrational overtone spectrum of monofluoroacetylene (HCCF), E.S. Bernardes, Y.M.M. Hornos and J.E.M. Hornos 213 (1996) 17

Many body and quasiparticle approaches

The ArClF Van der Waals complex as an example of how atoms inside a molecule interact with those outside, F.Y. Naumkin 213 (1996) 33

Coupling schemes and perturbative treatments

Spin–spin interactions in the reduced $[Fe_6S_6]^{5+}$ cluster, M. Czerwiński and J. Dąbrowski 213 (1996) 45

Equilibrium statistical mechanics

A method to calculate the probability distribution for systems with large energy barriers, O. Engkvist and G. Karlström 213 (1996) 63
Preferential solvation study: Solvation of sodium chloride in water–hydroxylamine mixtures, S. Vizoso and B.M. Rode 213 (1996) 77
Effect of ethanol addition upon the structure and the cooperativity of the water H bond network, R. Lamanna and S. Cannistraro 213 (1996) 95

Non-equilibrium thermodynamic and hydrodynamic theories

Modeling of optical pumping experiments in CO. I. Time-resolved experiments, P.I. Porshnev, H.L. Wallaart, M.-Y. Perrin and J.-P. Martin 213 (1996) 111

Ab initio schemes for stationary properties

Calculation of magnetizabilities using GIAO current density distributions, T.A. Keith 213 (1996) 123
Ab initio study of unimolecular pyrolysis mechanisms of dithioformic acid, X. Xie, Y. Tao, H. Cao and W. Duang 213 (1996) 133
Calculations on ground and excited state potential energy surfaces of floppy free radicals: HC_4H_2, HC_3NH, and HC_3O, H. Wang and A.L. Cooksy 213 (1996) 139
The use of locally dense basis sets in correlated NMR chemical shielding calculations, D.B. Chesnut and E.F.C. Byrd 213 (1996) 153

Correlation effects in the long-range coupling between acetylenic π-electrons in a series of α,ω-diethynyl[n]staffanes (n = 1–5), M. Braga 213 (1996) 159
Conformational studies of cyclopropylcarbonyl fluoride from temperature dependent FT-IR spectra of xenon solutions, J.R. Durig, S. Shen, W. Zhao and L. Zhou 213 (1996) 165
Conformational studies of propenoyl chloride in liquid xenon from temperature dependent FT-IR spectra, J.R. Durig, Y. Li and Y. Jin 213 (1996) 181
An ab initio study of the potential energy surface in the S_1 state of 2-hydroxypyridine, A.L. Sobolewski and L. Adamowicz 213 (1996) 193

Computational and simulation methods
Preferential solvation study: Solvation of sodium chloride in water–hydroxylamine mixtures, S. Vizoso and B.M. Rode 213 (1996) 77
The use of locally dense basis sets in correlated NMR chemical shielding calculations, D.B. Chesnut and E.F.C. Byrd 213 (1996) 153
Correlation effects in the long-range coupling between acetylenic π-electrons in a series of α,ω-diethynyl[n]staffanes (n = 1–5), M. Braga 213 (1996) 159
Molecular dynamics study of infinitely dilute aqueous solutions of small biological molecules. Calculation of the static and dynamic properties of formaldehyde, S. Tolosa and J.A. Sansón 213 (1996) 203
Molecular dynamics simulations of water/metal and water/vacuum interfaces with a polarizable water model, A. Kohlmeyer, W. Witschel and E. Spohr 213 (1996) 211
Exploratory Pariser–Parr–Pople investigation of the static first hyperpolarizability of polymethineimine chains, D. Jacquemin, B. Champagne, J.-M. André and B. Kirtman 213 (1996) 217
Optically pumped laser emission in K_2 involving rovibrational levels near the $B\,^1\Pi_u$ state dissociation limit, B.K. Clark, J.M. Standard, Z.J. Smolinski, D.P. Ripp and J.R. Fleming 213 (1996) 229
On the sampling of microcanonical distribution for rotating triatomic molecules, I. Rosenblum, E.I. Dashevskaya, E.E. Nikitin and I. Oref 213 (1996) 243
Ab initio calculation of the intermolecular potential energy surface of $(CO_2)_2$ and first applications in simulations of fluid CO_2, M. Welker, G. Steinebrunner, J. Solca and H. Huber 213 (1996) 253
Fast translational thermalization of extreme disequilibrium induced by cluster impact, T. Raz and R.D. Levine 213 (1996) 263

Molecular dynamics and scattering theory
On the sampling of microcanonical distribution for rotating triatomic molecules, I. Rosenblum, E.I. Dashevskaya, E.E. Nikitin and I. Oref 213 (1996) 243
Ab initio calculation of the intermolecular potential energy surface of $(CO_2)_2$ and first applications in simulations of fluid CO_2, M. Welker, G. Steinebrunner, J. Solca and H. Huber 213 (1996) 253
Fast translational thermalization of extreme disequilibrium induced by cluster impact, T. Raz and R.D. Levine 213 (1996) 263
Second harmonic generation in partially ordered media and at interfaces: analysis of dynamical and orientational factors, D.L. Andrews and I.D. Hands 213 (1996) 277
An IPA procedure for bound-continuum diatomic transition intensities, V.S. Ivanov and V.B. Sovkov 213 (1996) 295
A critical analysis of the two-dimensional atom ellipsoid model to study rotational collisions, J.C. Belchior and J.P. Braga 213 (1996) 303

A new method of calculating exponential operators for scattering problems, A.V. Storozhev 213 (1996) 313
Rotational relaxation of nitrogen in helium, A.E. Belikov, R.G. Sharafutdinov and A.V. Storozhev 213 (1996) 319

Experimental

Magnetic resonances

Effect of ethanol addition upon the structure and the cooperativity of the water H bond network, R. Lamanna and S. Cannistraro 213 (1996) 95

Infrared spectroscopy

Conformational studies of cyclopropylcarbonyl fluoride from temperature dependent FT-IR spectra of xenon solutions, J.R. Durig, S. Shen, W. Zhao and L. Zhou 213 (1996) 165
Conformational studies of propenoyl chloride in liquid xenon from temperature dependent FT-IR spectra, J.R. Durig, Y. Li and Y. Jin 213 (1996) 181
IR induced isomerisation of HDO complexes: a method for the observation of FIR spectra of matrix isolated water complexes, A. Engdahl and B. Nelander 213 (1996) 333
Vibrational dephasing in bromocyclohexane: how to separate contributions from different mechanisms, M. Kolodziejski, G. Waliszewska and H. Abramczyk 213 (1996) 341

Raman spectroscopy

Vibrational dephasing in bromocyclohexane: how to separate contributions from different mechanisms, M. Kolodziejski, G. Waliszewska and H. Abramczyk 213 (1996) 341
Influence of pressure on the ferroelectric phase transition in a symmetrical polymerizable diacetylene crystal DNP, J. Even, M. Bertault, A. Girard and Y. Délugeard 213 (1996) 357

Visible and UV spectroscopy

Time-resolved spectroscopy of wild-type and mutant Green Fluorescent Proteins reveals excited state deprotonation consistent with fluorophore–protein interactions, H. Lossau, A. Kummer, R. Heinecke, F. Pöllinger-Dammer, C. Kompa, G. Bieser, T. Jonsson, C.M. Silva, M.M. Yang, D.C. Youvan and M.E. Michel-Beyerle 213 (1996) 1
An ab initio study of the potential energy surface in the S_1 state of 2-hydroxypyridine, A.L. Sobolewski and L. Adamowicz 213 (1996) 193
Interatomic potentials for $X0^+$ and B^31 states of intercombination cadmium line 326.1 nm broadened by Ar pressure, G.D. Roston, M.S. Helmi and T. Grycuk 213 (1996) 365
Dissociative excitation of CH_4 by electron impact: Emission cross sections for the fragment species, K. Motohashi, H. Soshi, M. Ukai and S. Tsurubuchi 213 (1996) 369
Photodissociation dynamics of $HN_3(DN_3) + h\nu \rightarrow H(D) + N_3$, M. Lock, K.-H. Gericke and F.J. Comes 213 (1996) 385

Fluorescence spectroscopy

Time-resolved spectroscopy of wild-type and mutant Green Fluorescent Proteins reveals excited state deprotonation consistent with fluorophore–protein interactions, H. Lossau, A. Kummer, R. Heinecke, F. Pöllinger-Dammer, C. Kompa, G. Bieser, T. Jonsson, C.M. Silva, M.M. Yang, D.C. Youvan and M.E. Michel-Beyerle 213 (1996) 1
An ab initio study of the potential energy surface in the S_1 state of 2-hydroxypyridine, A.L. Sobolewski and L. Adamowicz 213 (1996) 193

Photodissociation dynamics of $HN_3(DN_3) + h\nu \rightarrow H(D) + N_3$, M. Lock, K.-H. Gericke and F.J. Comes 213 (1996) 385
Laser-induced fluorescence excitation spectroscopy of jet-cooled tropolone–carbon monoxide van der Waals complexes, H.K. Sinha, V.J. MacKenzie and R.P. Steer 213 (1996) 397
The photochemical reaction of excited acetophenone and benzaldehyde in the gas phase, Y. Matsushita, Y. Yamaguchi and T. Hikida 213 (1996) 413
Exciton scattering, k selection rule, exciton bandwidth in pyrene microcrystallites, and lattice relaxation energy for the origin of V luminescence, Y. Oeda, O. Nishi, Y. Matsushima, K. Mizuno, A.H. Matsui, M. Michinomae, M. Takeshima and T. Goto 213 (1996) 421
Triplet quantum yield determination by picosecond laser double-pulse fluorescence excitation, S. Reindl and A. Penzkofer 213 (1996) 429

Photoelectron and Auger spectroscopy
High-resolution threshold photoelectron spectroscopy of molecular fluorine, A.J. Cormack, A.J. Yencha, R.J. Donovan, K.P. Lawley, A. Hopkirk and G.C. King 213 (1996) 439

Electron impact spectroscopy
Rotational relaxation of nitrogen in helium, A.E. Belikov, R.G. Sharafutdinov and A.V. Storozhev 213 (1996) 319

Laser methods
Optically pumped laser emission in K_2 involving rovibrational levels near the $B\,^1\Pi_u$ state dissociation limit, B.K. Clark, J.M. Standard, Z.J. Smolinski, D.P. Ripp and J.R. Fleming 213 (1996) 229
IR induced isomerisation of HDO complexes: a method for the observation of FIR spectra of matrix isolated water complexes, A. Engdahl and B. Nelander 213 (1996) 333

Picosecond spectroscopy
Triplet quantum yield determination by picosecond laser double-pulse fluorescence excitation, S. Reindl and A. Penzkofer 213 (1996) 429

Non-linear optical spectroscopy
Triplet quantum yield determination by picosecond laser double-pulse fluorescence excitation, S. Reindl and A. Penzkofer 213 (1996) 429

Synchrotron spectroscopies
High-resolution threshold photoelectron spectroscopy of molecular fluorine, A.J. Cormack, A.J. Yencha, R.J. Donovan, K.P. Lawley, A. Hopkirk and G.C. King 213 (1996) 439

Coherent optical spectroscopy
Optically pumped laser emission in K_2 involving rovibrational levels near the $B\,^1\Pi_u$ state dissociation limit, B.K. Clark, J.M. Standard, Z.J. Smolinski, D.P. Ripp and J.R. Fleming 213 (1996) 229

Time-resolved experiments
Modeling of optical pumping experiments in CO. I. Time-resolved experiments, P.I. Porshnev, H.L. Wallaart, M.-Y. Perrin and J.-P. Martin 213 (1996) 111

Positronium dynamics in aqueous solutions of ionic surfactants, G. Consolati and F. Quasso 213 (1996) 449
Influence of the molecular environment on the hyperfine interaction of ^{111}Cd ions in gaseous radioactive indium halides, C. Ruth, M. Gründel, I. Eschrich, L. Ziegeler and I. Borchert 213 (1996) 454

Light scattering
Analysis of polarization effects in time-dependent Rayleigh light scattering by optically active molecules, K. Knast 213 (1996) 465

Measurement of macroscopic variables
Electric permittivity in the one- and two-phase region of 1-nitropropane–hexadecane near-critical solution, M. Paluch, P. Habdas, S.J. Rzoska and T. Schimpel 213 (1996) 483

Objects

Bulk systems

Gases
Modeling of optical pumping experiments in CO. I. Time-resolved experiments, P.I. Porshnev, H.L. Wallaart, M.-Y. Perrin and J.-P. Martin 213 (1996) 111
A new method of calculating exponential operators for scattering problems, A.V. Storozhev 213 (1996) 313
Interatomic potentials for $X0^+$ and B^31 states of intercombination cadmium line 326.1 nm broadened by Ar pressure, G.D. Roston, M.S. Helmi and T. Grycuk 213 (1996) 365
The photochemical reaction of excited acetophenone and benzaldehyde in the gas phase, Y. Matsushita, Y. Yamaguchi and T. Hikida 213 (1996) 413

Liquids neat
A method to calculate the probability distribution for systems with large energy barriers, O. Engkvist and G. Karlström 213 (1996) 63
Analysis of polarization effects in time-dependent Rayleigh light scattering by optically active molecules, K. Knast 213 (1996) 465

Liquid mixtures and solutions
A method to calculate the probability distribution for systems with large energy barriers, O. Engkvist and G. Karlström 213 (1996) 63
Preferential solvation study: Solvation of sodium chloride in water–hydroxylamine mixtures, S. Vizoso and B.M. Rode 213 (1996) 77
Effect of ethanol addition upon the structure and the cooperativity of the water H bond network, R. Lamanna and S. Cannistraro 213 (1996) 95
Conformational studies of cyclopropylcarbonyl fluoride from temperature dependent FT-IR spectra of xenon solutions, J.R. Durig, S. Shen, W. Zhao and L. Zhou 213 (1996) 165
Conformational studies of propenoyl chloride in liquid xenon from temperature dependent FT-IR spectra, J.R. Durig, Y. Li and Y. Jin 213 (1996) 181
Molecular dynamics study of infinitely dilute aqueous solutions of small biological molecules. Calculation of the static and dynamic properties of formaldehyde, S. Tolosa and J.A. Sansón 213 (1996) 203

Vibrational dephasing in bromocyclohexane: how to separate contributions from different mechanisms, M. Kolodziejski, G. Waliszewska and H. Abramczyk 213 (1996) 341
Positronium dynamics in aqueous solutions of ionic surfactants, G. Consolati and F. Quasso 213 (1996) 449
Electric permittivity in the one- and two-phase region of 1-nitropropane–hexadecane near-critical solution, M. Paluch, P. Habdas, S.J. Rzoska and T. Schimpel 213 (1996) 483

Crystals

-neat
Exciton scattering, k selection rule, exciton bandwidth in pyrene microcrystallites, and lattice relaxation energy for the origin of V luminescence, Y. Oeda, O. Nishi, Y. Matsushima, K. Mizuno, A.H. Matsui, M. Michinomae, M. Takeshima and T. Goto 213 (1996) 421

Polymers
Second harmonic generation in partially ordered media and at interfaces: analysis of dynamical and orientational factors, D.L. Andrews and I.D. Hands 213 (1996) 277

Thin films
Molecular dynamics simulations of water/metal and water/vacuum interfaces with a polarizable water model, A. Kohlmeyer, W. Witschel and E. Spohr 213 (1996) 211

Surfaces
Molecular dynamics simulations of water/metal and water/vacuum interfaces with a polarizable water model, A. Kohlmeyer, W. Witschel and E. Spohr 213 (1996) 211
Second harmonic generation in partially ordered media and at interfaces: analysis of dynamical and orientational factors, D.L. Andrews and I.D. Hands 213 (1996) 277

Dielectrics
Electric permittivity in the one- and two-phase region of 1-nitropropane–hexadecane near-critical solution, M. Paluch, P. Habdas, S.J. Rzoska and T. Schimpel 213 (1996) 483

Microscopic systems

Molecules (neutral and ionic)
Calculation of magnetizabilities using GIAO current density distributions, T.A. Keith 213 (1996) 123
Ab initio study of unimolecular pyrolysis mechanisms of dithioformic acid, X. Xie, Y. Tao, H. Cao and W. Duang 213 (1996) 133
An ab initio study of the potential energy surface in the S_1 state of 2-hydroxypyridine, A.L. Sobolewski and L. Adamowicz 213 (1996) 193
On the sampling of microcanonical distribution for rotating triatomic molecules, I. Rosenblum, E.I. Dashevskaya, E.E. Nikitin and I. Oref 213 (1996) 243
A critical analysis of the two-dimensional atom ellipsoid model to study rotational collisions, J.C. Belchior and J.P. Braga 213 (1996) 303
A new method of calculating exponential operators for scattering problems, A.V. Storozhev 213 (1996) 313
Dissociative excitation of CH_4 by electron impact: Emission cross sections for the fragment species, K. Motohashi, H. Soshi, M. Ukai and S. Tsurubuchi 213 (1996) 369
Photodissociation dynamics of $HN_3(DN_3) + h\nu \rightarrow H(D) + N_3$, M. Lock, K.-H. Gericke and F.J. Comes 213 (1996) 385

High-resolution threshold photoelectron spectroscopy of molecular fluorine, A.J. Cormack, A.J. Yencha, R.J. Donovan, K.P. Lawley, A. Hopkirk and G.C. King 213 (1996) 439

-diatomic

Optically pumped laser emission in K_2 involving rovibrational levels near the $B\,^1\Pi_u$ state dissociation limit, B.K. Clark, J.M. Standard, Z.J. Smolinski, D.P. Ripp and J.R. Fleming 213 (1996) 229

An IPA procedure for bound-continuum diatomic transition intensities, V.S. Ivanov and V.B. Sovkov 213 (1996) 295

Rotational relaxation of nitrogen in helium, A.E. Belikov, R.G. Sharafutdinov and A.V. Storozhev 213 (1996) 319

Interatomic potentials for $X0^+$ and B^31 states of intercombination cadmium line 326.1 nm broadened by Ar pressure, G.D. Roston, M.S. Helmi and T. Grycuk 213 (1996) 365

High-resolution threshold photoelectron spectroscopy of molecular fluorine, A.J. Cormack, A.J. Yencha, R.J. Donovan, K.P. Lawley, A. Hopkirk and G.C. King 213 (1996) 439

Influence of the molecular environment on the hyperfine interaction of ^{111}Cd ions in gaseous radioactive indium halides, C. Ruth, M. Gründel, I. Eschrich, L. Ziegeler and I. Borchert 213 (1996) 454

-small polyatomics

Dynamical symmetry in the vibrational overtone spectrum of monofluoroacetylene (HCCF), E.S. Bernardes, Y.M.M. Hornos and J.E.M. Hornos 213 (1996) 17

The ArClF Van der Waals complex as an example of how atoms inside a molecule interact with those outside, F.Y. Naumkin 213 (1996) 33

The use of locally dense basis sets in correlated NMR chemical shielding calculations, D.B. Chesnut and E.F.C. Byrd 213 (1996) 153

A critical analysis of the two-dimensional atom ellipsoid model to study rotational collisions, J.C. Belchior and J.P. Braga 213 (1996) 303

Dissociative excitation of CH_4 by electron impact: Emission cross sections for the fragment species, K. Motohashi, H. Soshi, M. Ukai and S. Tsurubuchi 213 (1996) 369

-aromatics

Triplet quantum yield determination by picosecond laser double-pulse fluorescence excitation, S. Reindl and A. Penzkofer 213 (1996) 429

-polymeric and biological

Exploratory Pariser–Parr–Pople investigation of the static first hyperpolarizability of polymethineimine chains, D. Jacquemin, B. Champagne, J.-M. André and B. Kirtman 213 (1996) 217

Influence of pressure on the ferroelectric phase transition in a symmetrical polymerizable diacetylene crystal DNP, J. Even, M. Bertault, A. Girard and Y. Délugeard 213 (1996) 357

Molecular aggregates

Preferential solvation study: Solvation of sodium chloride in water–hydroxylamine mixtures, S. Vizoso and B.M. Rode 213 (1996) 77

IR induced isomerisation of HDO complexes: a method for the observation of FIR spectra of matrix isolated water complexes, A. Engdahl and B. Nelander 213 (1996) 333

Positronium dynamics in aqueous solutions of ionic surfactants, G. Consolati and F. Quasso 213 (1996) 449

-dimers

Ab initio calculation of the intermolecular potential energy surface of $(CO_2)_2$ and first applications in simulations of fluid CO_2, M. Welker, G. Steinebrunner, J. Solca and H. Huber 213 (1996) 253

Influence of the molecular environment on the hyperfine interaction of ^{111}Cd ions in gaseous radioactive indium halides, C. Ruth, M. Gründel, I. Eschrich, L. Ziegeler and I. Borchert 213 (1996) 454

-van der Waals molecules

The ArClF Van der Waals complex as an example of how atoms inside a molecule interact with those outside, F.Y. Naumkin 213 (1996) 33

Laser-induced fluorescence excitation spectroscopy of jet-cooled tropolone–carbon monoxide van der Waals complexes, H.K. Sinha, V.J. MacKenzie and R.P. Steer 213 (1996) 397

-clusters

Spin–spin interactions in the reduced $[Fe_6S_6]^{5+}$ cluster, M. Czerwiński and J. Dąbrowski 213 (1996) 45

Fast translational thermalization of extreme disequilibrium induced by cluster impact, T. Raz and R.D. Levine 213 (1996) 263

-complexes

Laser-induced fluorescence excitation spectroscopy of jet-cooled tropolone–carbon monoxide van der Waals complexes, H.K. Sinha, V.J. MacKenzie and R.P. Steer 213 (1996) 397

Free radicals (including hydronium and muonium)

Calculations on ground and excited state potential energy surfaces of floppy free radicals: HC_4H_2, HC_3NH, and HC_3O, H. Wang and A.L. Cooksy 213 (1996) 139

Quasiparticles (including excitons)

Exciton scattering, k selection rule, exciton bandwidth in pyrene microcrystallites, and lattice relaxation energy for the origin of V luminescence, Y. Oeda, O. Nishi, Y. Matsushima, K. Mizuno, A.H. Matsui, M. Michinomae, M. Takeshima and T. Goto 213 (1996) 421

Phenomena

Molecular structure

Dynamical symmetry in the vibrational overtone spectrum of monofluoroacetylene (HCCF), E.S. Bernardes, Y.M.M. Hornos and J.E.M. Hornos 213 (1996) 17

The ArClF Van der Waals complex as an example of how atoms inside a molecule interact with those outside, F.Y. Naumkin 213 (1996) 33

Calculations on ground and excited state potential energy surfaces of floppy free radicals: HC_4H_2, HC_3NH, and HC_3O, H. Wang and A.L. Cooksy 213 (1996) 139

Vibrations and rotations of molecules
Dynamical symmetry in the vibrational overtone spectrum of monofluoroacetylene (HCCF), E.S. Bernardes, Y.M.M. Hornos and J.E.M. Hornos 213 (1996) 17
Conformational studies of cyclopropylcarbonyl fluoride from temperature dependent FT-IR spectra of xenon solutions, J.R. Durig, S. Shen, W. Zhao and L. Zhou 213 (1996) 165
Conformational studies of propenoyl chloride in liquid xenon from temperature dependent FT-IR spectra, J.R. Durig, Y. Li and Y. Jin 213 (1996) 181
On the sampling of microcanonical distribution for rotating triatomic molecules, I. Rosenblum, E.I. Dashevskaya, E.E. Nikitin and I. Oref 213 (1996) 243
IR induced isomerisation of HDO complexes: a method for the observation of FIR spectra of matrix isolated water complexes, A. Engdahl and B. Nelander 213 (1996) 333
Vibrational dephasing in bromocyclohexane: how to separate contributions from different mechanisms, M. Kolodziejski, G. Waliszewska and H. Abramczyk 213 (1996) 341

Electronic structure and states
Calculations on ground and excited state potential energy surfaces of floppy free radicals: HC_4H_2, HC_3NH, and HC_3O, H. Wang and A.L. Cooksy 213 (1996) 139
The use of locally dense basis sets in correlated NMR chemical shielding calculations, D.B. Chesnut and E.F.C. Byrd 213 (1996) 153
Dissociative excitation of CH_4 by electron impact: Emission cross sections for the fragment species, K. Motohashi, H. Soshi, M. Ukai and S. Tsurubuchi 213 (1996) 369

Electric and magnetic properties
Spin–spin interactions in the reduced $[Fe_6S_6]^{5+}$ cluster, M. Czerwiński and J. Dąbrowski 213 (1996) 45
Calculation of magnetizabilities using GIAO current density distributions, T.A. Keith 213 (1996) 123
The use of locally dense basis sets in correlated NMR chemical shielding calculations, D.B. Chesnut and E.F.C. Byrd 213 (1996) 153

Optical activity
Analysis of polarization effects in time-dependent Rayleigh light scattering by optically active molecules, K. Knast 213 (1996) 465

Molecular interactions
The ArClF Van der Waals complex as an example of how atoms inside a molecule interact with those outside, F.Y. Naumkin 213 (1996) 33
Molecular dynamics study of infinitely dilute aqueous solutions of small biological molecules. Calculation of the static and dynamic properties of formaldehyde, S. Tolosa and J.A. Sansón 213 (1996) 203
A new method of calculating exponential operators for scattering problems, A.V. Storozhev 213 (1996) 313
Rotational relaxation of nitrogen in helium, A.E. Belikov, R.G. Sharafutdinov and A.V. Storozhev 213 (1996) 319
IR induced isomerisation of HDO complexes: a method for the observation of FIR spectra of matrix isolated water complexes, A. Engdahl and B. Nelander 213 (1996) 333
Vibrational dephasing in bromocyclohexane: how to separate contributions from different mechanisms, M. Kolodziejski, G. Waliszewska and H. Abramczyk 213 (1996) 341
Influence of pressure on the ferroelectric phase transition in a symmetrical polymerizable diacetylene crystal DNP, J. Even, M. Bertault, A. Girard and Y. Délugeard 213 (1996) 357

The photochemical reaction of excited acetophenone and benzaldehyde in the gas phase, Y. Matsushita, Y. Yamaguchi and T. Hikida 213 (1996) 413

Spectral bandshapes and intensities

Conformational studies of cyclopropylcarbonyl fluoride from temperature dependent FT-IR spectra of xenon solutions, J.R. Durig, S. Shen, W. Zhao and L. Zhou 213 (1996) 165

Conformational studies of propenoyl chloride in liquid xenon from temperature dependent FT-IR spectra, J.R. Durig, Y. Li and Y. Jin 213 (1996) 181

Interatomic potentials for $X0^+$ and B^31 states of intercombination cadmium line 326.1 nm broadened by Ar pressure, G.D. Roston, M.S. Helmi and T. Grycuk 213 (1996) 365

Exciton scattering, k selection rule, exciton bandwidth in pyrene microcrystallites, and lattice relaxation energy for the origin of V luminescence, Y. Oeda, O. Nishi, Y. Matsushima, K. Mizuno, A.H. Matsui, M. Michinomae, M. Takeshima and T. Goto 213 (1996) 421

Coupling of electronic and nuclear motion

Influence of the molecular environment on the hyperfine interaction of ^{111}Cd ions in gaseous radioactive indium halides, C. Ruth, M. Gründel, I. Eschrich, L. Ziegeler and I. Borchert 213 (1996) 454

Energy transfer processes

Modeling of optical pumping experiments in CO. I. Time-resolved experiments, P.I. Porshnev, H.L. Wallaart, M.-Y. Perrin and J.-P. Martin 213 (1996) 111

Fast translational thermalization of extreme disequilibrium induced by cluster impact, T. Raz and R.D. Levine 213 (1996) 263

A critical analysis of the two-dimensional atom ellipsoid model to study rotational collisions, J.C. Belchior and J.P. Braga 213 (1996) 303

Rotational relaxation of nitrogen in helium, A.E. Belikov, R.G. Sharafutdinov and A.V. Storozhev 213 (1996) 319

Molecular photophysical processes

Time-resolved spectroscopy of wild-type and mutant Green Fluorescent Proteins reveals excited state deprotonation consistent with fluorophore–protein interactions, H. Lossau, A. Kummer, R. Heinecke, F. Pöllinger-Dammer, C. Kompa, G. Bieser, T. Jonsson, C.M. Silva, M.M. Yang, D.C. Youvan and M.E. Michel-Beyerle 213 (1996) 1

Triplet quantum yield determination by picosecond laser double-pulse fluorescence excitation, S. Reindl and A. Penzkofer 213 (1996) 429

Intramolecular dynamics

Calculations on ground and excited state potential energy surfaces of floppy free radicals: HC_4H_2, HC_3NH, and HC_3O, H. Wang and A.L. Cooksy 213 (1996) 139

Fast translational thermalization of extreme disequilibrium induced by cluster impact, T. Raz and R.D. Levine 213 (1996) 263

An IPA procedure for bound-continuum diatomic transition intensities, V.S. Ivanov and V.B. Sovkov 213 (1996) 295

-vibrational energy redistribution (including vibrational dissociation)

Modeling of optical pumping experiments in CO. I. Time-resolved experiments, P.I. Porshnev, H.L. Wallaart, M.-Y. Perrin and J.-P. Martin 213 (1996) 111

Luminescence spectra, yields and lifetimes
Time-resolved spectroscopy of wild-type and mutant Green Fluorescent Proteins reveals excited state deprotonation consistent with fluorophore–protein interactions, H. Lossau, A. Kummer, R. Heinecke, F. Pöllinger-Dammer, C. Kompa, G. Bieser, T. Jonsson, C.M. Silva, M.M. Yang, D.C. Youvan and M.E. Michel-Beyerle 213 (1996) 1

Non-linear responses (including optical)
Exploratory Pariser–Parr–Pople investigation of the static first hyperpolarizability of polymethineimine chains, D. Jacquemin, B. Champagne, J.-M. André and B. Kirtman 213 (1996) 217
Second harmonic generation in partially ordered media and at interfaces: analysis of dynamical and orientational factors, D.L. Andrews and I.D. Hands 213 (1996) 277

Reactions (including dissociation)
Ab initio study of unimolecular pyrolysis mechanisms of dithioformic acid, X. Xie, Y. Tao, H. Cao and W. Duang 213 (1996) 133

-gas phase
Ab initio study of unimolecular pyrolysis mechanisms of dithioformic acid, X. Xie, Y. Tao, H. Cao and W. Duang 213 (1996) 133
The photochemical reaction of excited acetophenone and benzaldehyde in the gas phase, Y. Matsushita, Y. Yamaguchi and T. Hikida 213 (1996) 413

-photochemical
Photodissociation dynamics of $HN_3(DN_3) + h\nu \rightarrow H(D) + N_3$, M. Lock, K.-H. Gericke and F.J. Comes 213 (1996) 385

Tunnelling
Laser-induced fluorescence excitation spectroscopy of jet-cooled tropolone–carbon monoxide van der Waals complexes, H.K. Sinha, V.J. MacKenzie and R.P. Steer 213 (1996) 397

Electron transfer
Spin–spin interactions in the reduced $[Fe_6S_6]^{5+}$ cluster, M. Czerwiński and J. Dąbrowski 213 (1996) 45
Correlation effects in the long-range coupling between acetylenic π-electrons in a series of α,ω-diethynyl[n]staffanes ($n = 1$–5), M. Braga 213 (1996) 159
The photochemical reaction of excited acetophenone and benzaldehyde in the gas phase, Y. Matsushita, Y. Yamaguchi and T. Hikida 213 (1996) 413
Influence of the molecular environment on the hyperfine interaction of ^{111}Cd ions in gaseous radioactive indium halides, C. Ruth, M. Gründel, I. Eschrich, L. Ziegeler and I. Borchert 213 (1996) 454

Positron annihilation
Positronium dynamics in aqueous solutions of ionic surfactants, G. Consolati and F. Quasso 213 (1996) 449

Ionization (including Rydberg states)
High-resolution threshold photoelectron spectroscopy of molecular fluorine, A.J. Cormack, A.J. Yencha, R.J. Donovan, K.P. Lawley, A. Hopkirk and G.C. King 213 (1996) 439

Molecular motion (including diffusive)
Second harmonic generation in partially ordered media and at interfaces: analysis of dynamical and orientational factors, D.L. Andrews and I.D. Hands 213 (1996) 277

Analysis of polarization effects in time-dependent Rayleigh light scattering by optically active molecules, K. Knast 213 (1996) 465

Surface effects and catalysis

Exciton scattering, k selection rule, exciton bandwidth in pyrene microcrystallites, and lattice relaxation energy for the origin of V luminescence, Y. Oeda, O. Nishi, Y. Matsushima, K. Mizuno, A.H. Matsui, M. Michinomae, M. Takeshima and T. Goto 213 (1996) 421

Thermodynamic and transport properties

Effect of ethanol addition upon the structure and the cooperativity of the water H bond network, R. Lamanna and S. Cannistraro 213 (1996) 95

Ab initio calculation of the intermolecular potential energy surface of $(CO_2)_2$ and first applications in simulations of fluid CO_2, M. Welker, G. Steinebrunner, J. Solca and H. Huber 213 (1996) 253

Structure of solids and liquids

A method to calculate the probability distribution for systems with large energy barriers, O. Engkvist and G. Karlström 213 (1996) 63

Molecular dynamics simulations of water/metal and water/vacuum interfaces with a polarizable water model, A. Kohlmeyer, W. Witschel and E. Spohr 213 (1996) 211

Ab initio calculation of the intermolecular potential energy surface of $(CO_2)_2$ and first applications in simulations of fluid CO_2, M. Welker, G. Steinebrunner, J. Solca and H. Huber 213 (1996) 253

Critical phenomena

Electric permittivity in the one- and two-phase region of 1-nitropropane–hexadecane near-critical solution, M. Paluch, P. Habdas, S.J. Rzoska and T. Schimpel 213 (1996) 483

Phase transitions

Influence of pressure on the ferroelectric phase transition in a symmetrical polymerizable diacetylene crystal DNP, J. Even, M. Bertault, A. Girard and Y. Délugeard 213 (1996) 357